

ANNUAL INDEX

VOLUME 1

1966

AUTHORS

A

- Abe, Yoshio. Long chain fatty acids containing ether linkage. I. The antibacterial and fungicidal activities of some new β -alkyloxypropionic acids and their methyl esters, 141
- Ackman, R. G., and John D. Castell. Isomeric mono-ethylenic fatty acids in herring oil, 341
- Ahluwalia, Balwant, and R. T. Holman. Fatty acid distribution in the bovine pre- and postpartum testis, 197
- Alcaraz, Aurora P. See Darius J. Nazir
- Alexander, J. Craig. Effect of diet handling on nutritional studies with used frying fats, 254
— See William R. Michael
- Anderson, Carl E. See Edward O. Oswald
- Anderson, Robert E., and Raymond Reiser. Short communication re *cis*-2-octenoic acid administration and essential fatty acid synthesis, 233
- Artman, Neil R. See William R. Michael

B

- Baczynski, E. See D. L. Turner
- Baer, Eric, and K. V. Jagannadha Rao. Short communication re phosphonolipids. VII. Synthesis of phosphonic acid analogues of diether L- α -lecithins, 291
- Bagby, M. O., C. R. Smith, Jr. and I. A. Wolff. Stereochemistry of α -parinaric acid from *Impatiens edgeworthii* seed oil, 263
- Barber, Albert A. Lipid peroxidation in rat tissue homogenates: Interaction of iron and ascorbic acid as the normal catalytic mechanism, 146
- Barclay, A. S. See F. R. Earle
- Barford, R. A., F. E. Luddy and P. Magidman. Short communication re the hydrolysis of long chain tri-saturated triglycerides by pancreatic lipase, 287
- Baxter, Claude F. See George Rouser
- Bever, E. L. See Randall Wood
- Blank, M. L. See W. E. M. Lands
— L. J. Nutter and O. S. Privett. Determination of the structure of lecithins, 132
— O. S. Privett. Evaluation of mathematical-distribution methods for the determination of triglyceride composition, 27
- Blankenhorn, David H. See H. P. Chin
- Borgström, Bengt. See Elaine B. Feldman
- Borka, L., and O. S. Privett. An electrostatic precipitator for preparative gas-liquid chromatography, 104
- Bratzler, L. J. See C. E. Elson
- Bridges, Raymond. See John G. Coniglio
- Brockerhoff, Hans. Letter to the editor re an unsolved problem of triglyceride analysis, 162
- Brown, Elise Ann. See Eberhard G. Trams
- Butterfield, R. O. See C. R. Scholfield

C

- Carroll, K. K. Metabolism of 14 C-labeled oleic acid, erucic acid and nervonic acid in rats, 171
- Carpenter, D. L. See R. G. Jensen
- Carter, Herbert E., and Evelyn J. Weber. Preparation and properties of various salt forms of plant phosphatidyl inositols, 16
- Castell, John D. See R. G. Ackman
- Chin, H. P., David H. Blankenhorn, and Trucilla J. Chin. Short communication re altered partition of serum cholesterol and cholesteryl ester in a petroleum ether-ethanol-water system after incubation, 285
- Chin, Trucilla J. See H. P. Chin
- Chisholm, Mary J. See C. Y. Hopkins
- Christie, W. W., and R. T. Holman. Mass spectrometry of lipids. I. Cyclopropane fatty acid esters, 176
- Coniglio, John G., and Raymond Bridges. The effect of dietary fat on fatty acid synthesis in cell-free preparations of lactating mammary gland, 76
- Cope, Diana G. See W. H. Tallent

Copenhaver, J. H., Jr. See C. F. Wurster, Jr.
Cress, Edgar A. See Fred Snyder

D

- Deubig, Manfred. See Ralph T. Holman
- Dimick, P. S., S. Patton, J. E. Kinsella, and N. J. Walker. The prevalence of aliphatic delta-lactones or their precursors in animal fats, 387
- Dolev, Ami, T. L. Mounts, W. K. Rohwedder, and H. J. Dutton. Short communication re mechanism of lipoxidase reaction: origin of the oxygen incorporated into linoleate hydroperoxides, 293
— W. K. Rohwedder, and H. J. Dutton. Short communication re quantitative separation of methyl 9-hydroxystearate from methyl 13-hydroxystearate by column chromatography on silica gel, 231
- Dollear, F. G. See Sara P. Fore
- Dugan, L. R., Jr. See C. E. Elson
— Gertrude W. McGinnis, and D. V. Vadehra. Low temperature direct methylation of lipids in biological materials, 305
- Dupont, Jacqueline. Fatty acid oxidation in relation to cholesterol biosynthesis in rats, 415
— Synthesis of cholesterol and total lipid by male and female rats fed beef tallow or corn oil, 409
- Dutton, H. J. See Ami Dolev
— See C. R. Scholfield

E

- Earle, F. R. See R. Kleiman
— See W. H. Tallent
— A. S. Barclay, and I. A. Wolff. Compositional variation in seed oils of the *Crepis* genus, 325
- Edwards, Hardy M., Jr. Localization of unsaturation in fatty acids by identification of 2,4-dinitrophenylhydrazones derived from ozonides by thin-layer chromatography, 1
- Eliasson, Sven G. Lipid synthesis in peripheral nerve from alloxan diabetic rats, 237
- Elson, C. E., L. R. Dugan, Jr., L. J. Bratzler, and A. M. Pearson. Effect of isocessant fatty acid lipids from animal and plant sources on cholesterol levels in mature male rats, 322
- Emken, E. A. See C. R. Scholfield
- Eng, Lawrence F., and Marion E. Smith. Letter to the editor re the cholesterol complex in the myelin membrane, 296
- Evans, C. D. See R. L. Hoffmann

F

- Faast, Paul G. A comparative study of the phospholipids and fatty acids of some insects, 209
- Feldman, Elaine B., and Bengt Borgström. Absorption of di- and triglycerides by intestinal slices in vitro, 128
— and Bengt Borgström. The behavior of glyceride-fatty acid mixtures in bile salt solution: Studies by gel filtration, 430
- Feldman, Gerald L., and Luttrell S. Feldman. Communication re occurrence of short chain triglycerides in human lens, 86
— Luttrell S. Feldman, and George Rouser. The isolation and partial characterization of gangliosides and ceramide polyhexosides from the lens of the human eye, 21
— Luttrell S. Feldman, and George Rouser. Communication re phospholipids of the human lens, 161
— and John F. R. Kuck, Jr. Communication re quantitative gas chromatography of sterols in the free form, 158
- Feldman, Luttrell S. See Gerald L. Feldman
- Fillerup, Dorothy L. See Suzanne Pakkala
- Fleischer, Sidney. See George Rouser

Fore, Sara P., F. G. Dollear, and Gene Sumrell. Isolation of methyl *cis*, *cis*-5,13-docosadienoate from *Limnanthes douglasii* oil, 73

G

Gershbein, Leon L. See Eric J. Singh

H

Hack, M. H. See F. M. Helmy
Hagemann, J. W. See W. H. Tallent
Hall, S. W. See L. J. Morris
Hansen, K. P., and J. F. Smith. The occurrence of methyl methoxystearate isomers in the methyl esters prepared from sheep perinephric fat, 316
Harlow, R. D., Carter Litchfield, and Raymond Reiser. Gas-liquid chromatography of triglycerides from erucic acid oils and fish oils, 216
Hayes, Herbert. See Ralph T. Holman
Helmy, F. M., and M. H. Hack. An ethanolamine plasmalogen artifact formed by acetone extraction of freeze-dried tissue, 279
Hoffmann, R. L., and C. D. Evans. Short communication re an improved tank for development of preparative thin-layer chromatograms, 292
Holman, R. T. See Baiwant Ahluwalia
— See W. W. Christie
— See Cecil B. Johnson
— Manfred Deubig, and Herbert Hayes. Pyrolysis chromatography of lipids. I. Mass spectrometric identification of pyrolysis products of hydrocarbons, 247
Hopkins, C. Y., Mary J. Chisholm, and Linda Price. Fatty acids of *lindera umbellata* and other lauraceae seed oils, 118

I

Ings, G. M. See R. P. A. Sims

J

Jensen, R. G., T. A. Marks, J. Sampugna, J. G. Quinn, and D. L. Carpenter. Short communication re purification of triglycerides with an alumina column, 451
— J. Sampugna, and J. G. Quinn. Letter to the editor re comments on the analysis of some triacid triglyceride mixture, 294
Jezzyk, Peter F., and A. John Penicnak. Fatty acid relationships in an aquatic food chain, 427
Johnson, Cecil B., and Ralph T. Holman. Mass spectrometry of lipids. II. Monoglycerides, their diacyl derivatives and their trimethylsilyl ethers, 371

K

Kinsella, J. E. See P. S. Dimick
Kishimoto, Yasuo, and Norman S. Radin. Metabolism of brain glycolipid fatty acids, 47
Kleiman, R., F. R. Earle, and I. A. Wolff. The *trans*-3-enoic acids of *Grindelia oxylepis* seed oil, 301
— R. W. Miller, F. R. Earle, and I. A. Wolff. Short communication re optically active aceto-triglycerides of oil from *Euonymus verrucosus* seed, 286
Knipprath, Werner G., and James P. Mead. Influence of temperature on the fatty acid pattern of mosquito-fish (*Gambusia affinis*) and guppies (*Lebistes reticulatus*), 113
— and Robert A. Stein. Synthesis of *trans*-3-hexadecenoic acid and of *trans*-3-hexadecenoic-1-C¹⁴ acid, 81
Kritchevsky, Gene. See George Rouser
Kuchmak, M. See J. H. Williams
Kuck, John F. R., Jr. See Gerald L. Feldman
Kuksis, A., and J. Ludwig. Fractionation of triglyceride mixtures by preparative gas chromatography, 202
Kwolek, W. F. See T. K. Miwa

L

Lands, William E. M., M. L. Blank, L. J. Nutter, and O. C. Privett. A comparison of acyltransferase activities *in vitro* with the distribution of fatty acids in lecithins and triglycerides *in vivo*, 224
— Ronald A. Pieringer, Sister P. M. Slakey, and Albrecht Zschecke. A micromethod for the stereo-specific determination of triglyceride structure, 444
— and Sister P. M. Slakey. Letter to the editor re a solved problem of triglyceride analysis, 295

LIPIDS, VOL. 1, NO. 6

Larose, J. A. G. See R. P. R. Sims
Lauter, Carl J. See Eberhard G. Trams
Lippert, L. F. See James M. Lyons
Litchfield, Carter. See R. D. Harlow
Luddy, F. E. See R. A. Barford
Ludwig, J. See A. Kuksis
Lundberg, W. O. See V. Mahadevan
Lutz, D. A., L. P. Witnauer, George S. Sasin, and Richard Sasin. X-ray diffraction powder studies of some dithiol diesters of long chain acids, 6
Lyons, James M., and L. F. Lippert. Characterization of fatty acids from root and shoot lipids of *Capsicum* species, 136

Mc

McGinnis, Gertrude W. See L. R. Dugan, Jr.
McKillican, M. E. See R. P. A. Sims

M

Magidman, P. See R. A. Barford
Mahadevan, V., F. Phillips, and W. O. Lundberg. Reactions of dimethyl sulfoxide with sulfonate esters of fatty alcohols. I. Synthesis of higher saturated and unsaturated fatty aldehydes, 183
— C. V. Viswanathan, and W. O. Lundberg. Interconversion of fatty aldehydes and dimethyl acetals at low temperatures, 349
Marks, T. A. See R. G. Jensen
Mead, James F. See Werner G. Knipprath
— See Suzanne Pakkala
Mellers, A., and A. L. Tappel. Quinones and quinols as inhibitors of lipid peroxidation, 282
Michael, William R. Thermal reactions of methyl linoleate. II. The structure of aromatic C₁₈ methyl esters, 359
— Thermal reactions of methyl linoleate. III. Characterization of C₁₈ cyclic esters, 365
— J. Craig Alexander, and Neil R. Artman. Thermal reactions of methyl linoleate. I. Heating conditions, isolation techniques, biological studies and chemical changes, 353
Mikolajczak, K. L., C. R. Smith, Jr., and I. A. Wolff. Short communication re investigation of the glyceride structure of *Cardamine impatiens* L. seed oil, 289
Miller, R. W. See R. Kleiman
Miwa, T. K., W. F. Kwolek, and I. A. Wolff. Quantitative determination of unsaturation in oils by using an automatic-titrating hydrogenator, 182
Morris, L. J., and S. W. Hall. The structure of the glycerides of ergot oils, 188
— and D. M. Wharry. Naturally occurring epoxy acids. IV. The absolute optical configuration of vernolic acid, 41
Mounts, T. L. See Ami Dolev
Mumma, Ralph O. Preparation of sulfate esters, 221

N

Nair, Padmanabhan P. See Darius J. Nazir
Nazir, D., and George Rouser. Communication re removal of water-soluble contaminants from lipid extracts of heart, 159
Nazir, Darius J., Aurora P. Alcaraz, and Padmanabhan P. Nair. Letter to the editor re separation of methyl eicosatetraenoate from methyl docosenoate by gas-liquid chromatography, 453
Newman, Joyce K. See O. K. Reiss
Nickell, E. Christense. See O. S. Privett
— and O. S. Privett. A simple, rapid micromethod for the determination of the structure of unsaturated fatty acids via ozonolysis, 166
Nicolaidis, N. Communication re the incorporation *in toto* of octadecanoic acid (formed from ingested octadecane-1-C¹⁴) into the lipids of the sebaceous glands of the rat, 87
Nutter, L. J. See M. L. Blank
— See W. E. M. Lands
— and O. S. Privett. Phospholipase A properties of several snake venom preparations, 258
— and O. S. Privett. Short communication re acyl migration in the conversion of lecithin to 1,2-diglyceride acetates by acetolysis, 234

O

O'Neill, Hugh J. See Eric J. Singh
Oswald, Edward O., Claude Piantadosi, Carl E. Anderson, and Fred Snyder. The synthesis of ¹⁴C- and ³H-labeled glycerol ethers, 241

P

- Pakkala, Suzanne, Dorothy L. Fillerup, and James F. Mead. Short communication re the very long chain fatty acids of human brain sphingolipids, 449
- Patton, S. See P. S. Dimick
- Pearson, A. M. See C. E. Elson
- Penickak, A. John. See Peter F. Jezyk
- Perkins, E. G. See Nancy Risser
- Pfeffer, Raymond C. See Fred Snyder
- Phillips, F. See V. Mahadevan
- Piantadosi, Claude. See Edward O. Oswald
- Pieringer, Ronald A. See William E. M. Lands
- Price, Linda. See C. Y. Hopkins
- Privett, O. S. See M. L. Blank
- See L. Borka
- See W. E. M. Lands
- See E. Christense Nickell
- See L. J. Nutter
- and E. C. Nickell. Determination of the specific positions of *cis* and *trans* double bonds in polyenes, 98

Q

- Quinn, J. G. See R. G. Jensen

R

- Radin, Norman S. See Yasuo Kishimoto
- Raju, P. K., and Raymond Reiser. Gas-liquid chromatographic analysis of cyclopropane fatty acids, 10
- Rao, K. V. Jagannadha. See Eric Baer
- Reiser, Raymond. See Robert E. Anderson
- See R. D. Harlow
- See P. K. Raju
- Reiss, O. K., J. G. Warren, and Joyce K. Newman. Short communication re quantitative recovery of short chain free fatty acids after gas chromatography, 230
- Renkonen, O. Communication re altered fatty acid distribution of glycerophosphatides induced by acetolysis, 160
- Risser, Nancy, and E. G. Perkins. Short communication re column chromatography of lipids containing hydroxy fatty acids, 288
- Rohwedder, W. E. See Ami Dolev
- Rouser, George. See Gerald L. Feldman
- See D. Nazir
- Gene Kritchevsky, Mary Whatley, and Claude F. Baxter. Laboratory contaminants in lipid chemistry: Detection by thin-layer chromatography and infrared spectrophotometry and some procedures minimizing their occurrence, 107
- A. N. Siakotos, and Sidney Fleischer. Communication re quantitative analysis of phospholipids by thin-layer chromatography and phosphorous analysis of spots, 85

S

- Sampugna, J. See R. G. Jensen
- Sasin, George S. See D. A. Lutz
- Sasin, Richard. See D. A. Lutz
- Schofield, C. R., R. O. Butterfield, and H. J. Dutton. Preparation of pure methyl esters by counter double current distribution, 163
- and E. A. Emken. Short communication re isolation of methyl *cis*-15-octadecenoate by chromatography on a silver-treated macropore exchange resin, 235
- Siakotos, A. N. See George Rouser
- Silver, M. J. See D. L. Turner
- Simon, Gerald. Short communication re cholesterol ester in degenerating nerve: Origin of cholesterol moiety, 369
- Sims, R. P. A., G. M. Ings, M. E. McKillican, and J. A. G. Larose. Short communication re a simple device for preparative TLC, 452
- Singh, Eric J., Leon L. Gershbein, and Hugh J. O'Neill. Isolation and characterization of glycerides in human hair lipids by thin-layer and gas chromatography, 274
- Slakey, Sister P. M. See William E. M. Lands

- Smith, C. R., Jr. Keto fatty acids from *Cuspidaria pterocarpa* seed oil, 268
- See M. O. Bagby
- See K. L. Mikolajczak
- and I. A. Wolff. Glycolipids of *Briza spicata* seed, 123
- Smith, J. P. See R. P. Hansen
- Smith, Marion E. See Lawrence F. Eng
- Snyder, Fred. See Edward O. Oswald
- See Randall Wood
- Edgar A. Cress, and Nelson Stephens. An unidentified lipid prevalent in tumors, 381
- and Raymond C. Pfeiffer. Metabolism of α -alkoxy glyceryl monoethers in rat liver, in vivo and in vitro, 328
- Stein, Robert A. See Werner G. Knipprath
- Stephens, Nelson. See Fred Snyder
- Sumrell, Gene. See Sara P. Fore

T

- Taketomi, Tamotsu, and Tamio Yamakawa. Antigenic properties of a synthetic protein complex with glycolipids and related substances, 31
- Tallent, W. H., Diana G. Cope, J. W. Hagemann, F. R. Earle, and I. A. Wolff. Identification and distribution of epoxyacyl groups in new, natural epoxy oils, 355
- Tamaki, Yoshio. Chemical composition of the wax secreted by a scale insect (*Ceroplastes pseudocerciferus* green), 297
- Tappel, A. L. See A. Mellors
- Trams, Eberhard G., Elise Ann Brown, and Carl J. Lauter. Lipoprotein synthesis. I. Rat plasma lipoprotein composition and synthesis from radioactive precursors, 309
- Turner, D. L., M. J. Silver, and E. Baczynski. The total synthesis of diinoleoylphosphatidylserine and its activity in blood clotting systems, 439

V

- Vadehra, D. V. See L. R. Dugan, Jr.
- Viswanathan, C. V. See V. Mahadevan

W

- Walker, N. J. See P. S. Dimick
- Warren, J. G. See O. K. Reiss
- Weber, Evelyn J. See Herbert E. Carter
- Wharry, D. M. See L. J. Morris
- Whatley, Mary. See George Rouser
- Williams, J. H., M. Kuchmak, and R. F. Witter. Fatty acids in phospholipids isolated from human red cells, 391
- M. Kuchmak, and R. F. Witter. Phospholipids of human serum, 89
- Witnauer, L. P. See D. A. Lutz
- Witter, R. F. See J. H. Williams
- Wolff, I. A. See M. O. Bagby
- See F. R. Earle
- See R. Kleiman
- See K. L. Mikolajczak
- See K. T. Miwa
- See C. R. Smith, Jr.
- See W. H. Tallent
- Wood, Randall, E. L. Bever, and Fred Snyder. The GLC and TLC resolution of diastereoisomeric polyhydroxystearates and assignment of configurations, 399
- and Fred Snyder. Gas-liquid chromatographic analysis of long chain isomeric glyceryl monoethers, 62
- Wurster, C. F., Jr., and J. H. Copenhaver, Jr. The thin-layer chromatographic separation of dimethylphosphatides derived from lecithins, 422

X-Y-Z

- Yamakawa, Tamio. See Tamotsu Taketomi
- Zschocke, Albrecht. See William E. M. Lands

SUBJECT

A

- Absorption, by hamster intestinal slices, 128
- Absorption of fats, *in vitro* by hamster intestine, 128
- Absorption of glycerides, *in vitro* by hamster intestine, 128
- Acetic acid, as precursor for fatty acid synthesis in rats, 233
 - metabolism in brain, 47
 - rate of oxidation in rats, 415
- Acetin, di- 1- or 2-monomyristin, mass spectra, 371
- α -Acetolactarin, 286
- Acetolysis, acyl migration, 234
 - of lecithin, 234
 - of phospholipids, 160
- 1,3 di-O-Acetyl (N-p-aminobenzoyl) dihydrosphingosine, prep and infrared spectrum, 31
- 1,3 di-O-Acetyl (N-p-nitrobenzoyl) sphingosine, prep and infrared spectrum, 31
- Acyl-coenzyme A, acyltransferase specificity for, 224
 - o'-galactosyl sphingosine transferase—EC 2.3.1, in nerve, 237
 - polyunsaturated synthesis, 224
 - psychosine transferase—EC 2.3.1., in nerve, 237
 - synthesis, 224
- Acyl-coenzyme A: acyl-glycerolphosphorylcholine acyl transferase—EC 2.3.1, 224
 - microsomal, 224
 - in rat liver, 224
 - specificity for fatty acids, 224
 - specificity for 1- or 2-acyl-GPC, 224
- 1-Acyl glyceryl phosphoryl choline, acyltransferase specificity, 224
- 2-Acyl glyceryl phosphoryl choline, acyltransferase specificity, 224
- Acyl migration, during acetolysis, 234
- Acyltransferase—EC 2.3.1, 237
 - acyl-CoA:acyl-GPC transferase, 224
 - in rat liver, 224
- Age, effect on bovine testis lipids, 197
 - of rats and effect of diet on cholesterol synthesis, 409
- Airborne lipid contaminants, detection by GLC, 107
- Albumin, fatty acid complex, 171
- Alcohol, long chain aliphatic, metabolic products of α -alkoxy glyceryl monoethers, 328
 - mesylates, 183
 - sulfate ester synthesis, 221
 - sulfonic acid esters, 183
 - tosylates, 183
- Alcohol-higher aliphatic, in insect wax, 297
 - separation as urea adducts, 297
- Aldehydes, aliphatic, from phospholipids, 89
 - Rf values for TLC, 1
 - 2,4-dinitrophenylhydrazones of, 1, 183
 - from ozonide pyrolysis, 166
 - from ozonide reduction, 1, 98
 - GLC, 98, 166
 - long chain aliphatic and olefinic synthesis, 183
 - low temp interconversion with dimethyl acetals, 349
- Aldoesters, 2,4-dinitrophenylhydrazones of, 1
 - GLC, 98
 - from ozonides, 1, 98
- Algae, green, fatty acid profile of total lipids, 427
- β -Alkylxypropionic acid, methyl ester, physical properties, 141
 - physical properties, 141
 - synthesis and properties, 141
- β -Alkylxypropionitriles, physical properties, 141
- α -Alkoxy glyceryl monoethers, metabolism in rat liver, 328
- Allergic encephalomyelitis, 31
- Alloxan diabetic rats. See diabetes, alloxan
- Amino acids, incorporation into rat plasma lipoproteins, 309
 - in rat plasma lipoproteins, 309
- 1,3 O-di-p-Aminobenzoyl dihydroceramide, prep and infrared spectrum, 31
- p-Aminophenyl glycosides, infrared spectra, 31
- 2-Amyl bromobenzene, synthesis, 359
- Anisylloxycarbonyl-L-serine, phthalimidomethyl ester, synthesis and properties, 439
- Antibody production, to lipid-protein complexes, 31
- Antibacterial activity, of β -alkylxypropionic acids, 141
- Antifungal activity, of β -alkylxypropionic acids, 141
- Antigens, glycolipids as, 31
- Aphids, lipids of, 209
- Arachidonic acid, methyl ester, 166
 - methyl ester by CDCD, 163
 - tetracyclopropane derivative, mass spectrum, 176
- Artifact, isomeric methoxystearic acid from sheep fat, 316
 - produced by acetone extraction of plasmalogen, 279
- Artemia salina, adults, fatty acid profiles of neutral lipids and phospholipids, 427
 - nauplii, fatty acid profiles of neutral lipids and phospholipids, 427

- Ascorbic acid, interaction with iron, 146
 - lipid peroxidation, 146
- ATP: D-glycerate 3-phosphotransferase—EC 2.7.1.31. See diglyceride kinase
- Automatic-titrating hydrogenator, 152
- Azelaic acid, methyl ester from linoleic acid, 233

B

- Bacteria. See microorganisms
- Batyl alcohol, metabolism by rats, 328
 - synthesis and physical properties, 241
- β -Batyl alcohol, synthesis and physical properties, 241
- Beef tallow, dietary effect on cholesterol synthesis in rats, 409
 - dietary effect on fatty acid oxidation in rats, 415
- Beetles, lipids of, 209
- Bile salt lipid emulsions, behavior during gel filtration, 430
- Bile salts and intestinal absorption, 128
- Biosynthesis. See specific compound or class, e.g. see lipid biosynthesis
- Blood, human, lipids, 89
 - red cells. See erythrocytes
- Blood clotting, effect of phosphatidyl serine, 439
- Bovine, δ -lactones in fat and lipoproteins, 387
 - testis fatty acids, 197
- Bovine brain, fatty acids in phosphatidyl choline and its dimethyl phosphatidates, 422
- Brain, bovine, fatty acids in phosphatidyl choline and its dimethyl phosphatidates, 422
 - fatty acid metabolism, 47
 - fatty acids, 47
 - glycolipids, 47
 - human, phospholipids, 85
 - sphingolipids, content of very long chain fatty acids, 449
- Brain microsomes, lipid peroxidation, 146
- Brine shrimp. See Artemia salina
- 2-Bromobutyrophenone, synthesis and physical properties, 359
- 2-Bromovaleraphenone, synthesis and physical properties, 359
- 1,4-Butanedithiol, fatty acid diester x-ray spacing, 6
- 2-Butyl bromobenzene, synthesis and physical properties, 359

C

- Capsicum, fatty acids, 136
- Carbon dioxide, from rat expired air as a measure of fatty acid oxidation, 415
- Carcass, rat cholesterol levels and diet, 409
- Castration, effect on bovine testis lipids, 197
- Cat placenta, lipids in, 279
- CCD. See countercurrent distribution
- CCDD. See countercurrent distribution
- CDCD. See countercurrent distribution
- Cephalin. See phosphatidyl ethanalamine
- Ceramide, arachidyl-N-sphingosine, infrared spectrum, 31
 - column chromatography, 449
 - human brain, content of very long chain fatty acids, 449
- Ceramide antigen, 31
- Ceramide polyhexosides, fatty acid profile, 21
 - glucose and galactose of, 21
 - human eye lens, 21
 - sphingosine and dihydrosphingosine content, 21
 - TLC, 21
- Cerebrosides, defect in synthesis in alloxan diabetes, 237
 - fatty acid metabolism, 47
 - human brain, content of very long chain fatty acids, 449
 - isolation procedure, 47
 - synthesis in peripheral nerve, 237
- Cerebroside sulfate, human brain, content of very long chain fatty acids, 449
- Chain elongation, brain fatty acids, 47
- Chicken, blood plasma, fatty acid profile, 305
- Chimyl alcohol, metabolism by rats, 328
 - synthesis and physical properties, 241
- β -Chimyl alcohol, synthesis and physical properties, 241
- Cholesterol, complex in myelin, 296
 - effect of diet on synthesis in rats, 409
 - GLC, 158
 - hamster intestinal slice absorption, 128
 - human serum, partition altered by incubation, 285
- Cholesterol esters, in degenerating nerve, 369
 - bovine fatty acid changes with age, 197

- bovine testis, 197
- TLC, 197
- Cholesterol levels in rat liver and blood serum, effect of dietary isomental fatty acid lipids, 322**
- Cholesterol in nerve, as source of cholesterol ester in nerve degeneration, 369**
- Cholesteryl ester, complex with phospholipids and protein, 285**
 - human serum, partition altered by incubation, 285
- Cholesteryl sulfate, synthesis, 221**
- Chromatography, column, aldehydes, 183**
 - alumina to obtain pure triglycerides, 451
 - aluminum oxide for phosphatidyl inositol, 391
 - ceramide, 171
 - column prep, 451
 - DEAE of insect lipids, 209
 - fatty acid esters, 231
 - Florisil, 171
 - hydrated silicic acid, silicate for phosphatidyl ethanolamine and phosphatidyl serine separation, 391
 - liver lipids, 171
 - methyl *cis*-15-octadecenoate, 235
 - methyl 9-hydroxystearate, 231
 - methyl 13-hydroxystearate, 231
 - neutral lipids, 197
 - phospholipids, 171, 197
 - seed lipids, 136
 - serum phospholipids, 89
 - silica gel, 183
 - silica gel column prep, 231
 - silicic acid, 89, 136, 197
 - silicic acid for hydroxy fatty acids, 288
 - silicic acid for lactones, 387
 - silicic acid for phosphatidyl choline and phosphatidyl ethanolamine separation, 391
 - silicic acid for phospholipids, 391
 - silicic acid-silicate-water for ceramide and sphingomyelin, 449
 - silicic acid for sphingomyelin, 391
 - silver-treated macroreticular exchange resin, 235
 - solvent (aldehydes and mesylates), 183
 - solvents (hydroxy-fatty acids isomers), 231
- Chromatography, gas-liquid, alcohols, 297**
 - aldehydes, 98, 166, 183
 - aldoesters, 98
 - analytical conditions, 98
 - analytical conditions for fatty acid esters, 197
 - collecting system description, 230
 - column packing (acetals and aldehydes), 349
 - column packing (aldehydes and aldoesters), 98
 - column packing and analytical conditions for triglycerides, 202, 216, 387
 - column packing for free fatty acids, 230
 - column packing for hydrocarbon pyrolysis products, 247
 - column packing for long chain fatty acids (18:0-32:0), 297
 - column packing (polyhydroxystearic acids), 399
 - column selection for triglycerides, 202
 - cyclopropene fatty acids, 10
 - docosadienoic acid, 73
 - diim of isomers of monomethylene fatty acids, 341
 - electrostatic precipitator for preparative GLC, 104
 - of erucic acid oils, 216
 - evaluation of liquid phases for glyceryl monoethers, 62
 - of fatty acids, 216
 - fatty acid analysis, 224
 - of fish oils, 216
 - glyceryl monoethers, 62
 - δ -lactone retention times, 387
 - of *Lunaria annua* oil, 216
 - of menhaden oil, 216
 - methyl mercaptans of cyclopropene fatty acids, 10
 - of nasturtium oil, 216
 - preparative for aromatic acyl methyl esters, 359
 - preparative (fatty acid methyl esters), 301
 - polyhydroxystearic acids, methyl esters as their trifluoroacetate derivatives, 399
 - after pyrolysis of hydrocarbons, 247
 - quantitative recovery of short chain free fatty acids, 230
 - of rapeseed oil, 216
 - recovery estimated by radioassay, 230
 - resolution of polyhydroxystearic acid isomers, 399
 - seed oil analysis, 10
 - separation of methyl eicosatetraenoate from methyl docosenoate, 453
 - short chain triglycerides, 86
 - sterols, 153
 - stream splitter and instrumentation, 202
 - of trierucin, 216
 - triglycerides, 202, 216
 - of tuna muscle oil, 216
 - of watercress oil, 216

- Chromatography, thin-layer, airborne lipid contaminants, 107**
 - cyclopropene esters as methyl mercaptan adducts, 10
 - detection procedures, 1, 21, 41, 62, 85, 98, 123, 171, 197, 202, 237, 301, 328, 335, 381, 399, 422
 - dimethyl phosphatidates, 422
 - dinitrophenylhydrazones, 1
 - 2,4-dinitrophenylhydrazones, 1
 - fatty acid esters, 98
 - gangliosides, 21
 - human brain phospholipids, 85
 - impregnation of adsorbents, 1, 422
 - improved tank for plate development, 292
 - load limit, 1
 - lubricants as impurities, 107
 - mesylates, 183
 - methyl ester prep from, 224
 - neutral glycolipids of lens, 21
 - ozonides, 98
 - phosphatidyl choline hydrolysates, 224
 - plate prep (porous glass-calcium sulfate-silver nitrate), 98
 - plate prep (silica gel-arsenite; silica gel-borate), 41
 - plate prep (silica gel-magnesium silicate), 21, 85
 - plate prep (silica gel-silver nitrate), 62
 - plate prep (silica gel and silica gel-arsenite), 399
 - plate prep (silicic acid-silver nitrate), 10
 - plate prep for triglycerides, 202
 - polyhydroxystearic acid isomers, 399
 - preparative (*cis-trans* unsaturated fatty acids), 98
 - preparative for dimethyl phosphatidates, 422
 - preparative and methylation of fatty acids, 224
 - preparative (neutral lipids), 197
 - preparative (neutral glycolipids), 21
 - preparative for phospholipids, 328
 - preparative (polyhydroxystearic acid isomers), 399
 - preparative (triglycerides), 216
 - preparative (of tumor lipid), 351
 - preparative using a sandwich-type plate holder, 452
 - quantitative, 1
 - reactions occurring on plates, 1
 - reagent impurities, 107
 - Rf values, aldehydes, 1
 - Rf values, phospholipids, 89
 - separation of *syn*- and *anti*- forms of 2,4-DNP derivatives, 1
 - solvent system (acetals and aldehydes), 349
 - solvent systems (alcohols and aldehydes), 183
 - solvent systems (*cis-trans* unsaturated fatty acids), 98
 - solvent system (cyclopropene esters), 10
 - solvent systems (dimethyl phosphatidates), 422
 - solvent systems (dinitrophenylhydrazones), 1
 - solvent system (epoxy acids), 355
 - solvent system (fatty acid esters), 301
 - solvent system (fatty acids, 1-acyl-GPC), 224
 - solvent systems (fatty acids, fatty alcohols), 41
 - solvent systems (galactosylglycerides), 123
 - solvent systems (glyceryl ethers), 62
 - solvent systems (glyceryl ethers, mono- and diglycerides), 328
 - solvent systems (hydroxy-fatty acids), 288
 - solvent systems (mono-, di-, and triglycerides), 444
 - solvent system (monoglycerides), 371
 - solvent system (neutral lipids), 197
 - solvent systems (neutral lipids and phospholipids), 444
 - solvent systems (neutral lipids, phospholipids and ceramide), 171
 - solvent systems (neutral lipids, wax alcohol, and polar lipids), 274
 - solvent systems (ozonides), 98
 - solvent systems (phospholipids), 85, 209
 - solvent systems (polyhydroxystearic acid isomers), 399
 - solvent systems (total lipids), 21, 237
 - solvent systems (total lipids, unsaturated lipids, fatty acid methyl esters, glycerol ethers), 381
 - solvent systems (triglycerides), 202, 216
 - solvent systems (triglycerides and estolide triglycerides), 187
 - solvent systems (triglycerides, fatty acids, glyceryl ether esters), 328
 - solvent system (triglycerides and hydroxyl-containing glycerides), 289
 - spot aspiration, 85
 - tosylates, 183
 - total lipids of lens, 21
 - triglycerides, 216
 - trihydroxyoctadecanol isomers, 41
 - two dimensional (total lipids), 21
- Chromatography, paper, detection procedures, 123**
 - solvent systems (galactosylglycerols), 123
 - solvent systems for silicic acid impregnated (phospholipids), 279
- Chromatography, pyrolysis, of hydrocarbons, 247**
 - instrumentation description, 247

- of lipids, 247
- mass spectrometric identification of products, 247
- Clostridium perfringens*, phospholipase C, 234
- Clotting, blood, effect of phosphatidyl serine, 439
- Column chromatography. See chromatography, column
- Complex. See specific class or compounds, e.g. protein
- Configuration, absolute or relative of isomers. See isomers
- Corn oil, dietary effect on cholesterol synthesis in rats, 409
- dietary effect on fatty acid oxidation in rats, 415
- Corn phosphatidyl inositol, 16
- Cottonseed oil. See oilseeds, cottonseed
- Counter-current distribution, counter double current distribution (CDCD), 163
- of keto-fatty acids, 268
- of lipid extracts, *Briza spicata* seeds, 123
- methyl ester by CDCD, 163
- α -parinaric acid methyl esters, 263
- solvent system (epoxyacyl glycerides), 335
- solvent systems (galactosylglycerides), 123
- solvent systems by CDCD, 163
- solvent system for keto-fatty acids, 268
- solvent systems for α -parinaric acid methyl esters, 263
- Cow. See bovine
- Cream, fatty acid profile, 305
- Crepenynic acid. See *cis*-9-octadecen-12-ynoic acid
- Crystalline esters, polymorphic forms, 6
- X-ray diffraction, 6
- Cyclohexyldecane, pyrolysis chromatography, 247
- Cyclopentyl decane, pyrolysis chromatography, 247
- Cyclopropane fatty acids. See fatty acid, cyclopropane
- Cyclopropene fatty acids. See fatty acid, cyclopropene

D

- Decanoic acid, dithiol diesters x-ray spacing, 6
- from seed oils, 118
- Decanoic-1 or 2-mono-, mass spectral data, 371
- Decyl sulfate, synthesis, 221
- Desmosterol, GLC, 168
- Diabetes, alloxan, cerebroside synthesis in nerve, 237
- experimental and lipid metabolism, 237
- Diacylglycerol. See diglycerides, also see under specific name of the diglyceride, or as a specific fatty acid ester
- Diastereoisomers. See isomers, diastereo-
- Dicyclohexylcarbodiimide, in synthesis of sulfate esters, 221
- Diatolide triglyceride, occurrence in ergot oil, 188
- Diet, effect of beef tallow and corn oil on cholesterol and total lipid synthesis in rats, 409
- effect of beef tallow and corn oil on fatty acid oxidation in rats, 415
- low fat containing and cholesterol synthesis in rats, 409
- low fat containing and fatty acid oxidation in rats, 415
- prep and storage procedures effect on nutritional value, 264
- Dietary fat, effect on cholesterol synthesis in rats, 409
- effect on fatty acid oxidation in rats, 415
- effect in fatty acid synthesis, 76
- Digalactosylglycerides, *Briza spicata* seeds, 123
- Diglycerides, bovine testis, 197
- bovine testis fatty acid changes with age, 197
- in *Capsicum* seed and their fatty acid profile, 136
- in human hair, 274
- TLC, 197
- Diglyceride absorption *in vitro*, 128
- Diglyceride acetates, 234
- Diglyceride kinase-EC 2.7.1.31, stereospecificity, 444
- use in triglyceride stereospecific structure dtm, 444
- Dihydrospingosine, N-p-aminophenyl infrared spectrum, 31
- N-p-aminophenyl prep, 31
- tribenzoyl infrared spectrum, 31
- tribenzoyl prep, 31
- Dihydrospingosine albumin, 31
- Dihydrospingosine antigens, 31
- erythro-13,14-Dihydroxydocosanoic acid, from seed oil triglycerides, 289
- erythro-4,5-Dihydroxylauric acid, melting point, 118
- three-4,5-Dihydroxylauric acid, melting point, 118
- erythro-4,5-Dihydroxymyristic acid, melting point, 118
- 12,13-Dihydroxyoleic acid, from epoxy acids, 335
- Dihydroxystearic acid, methyl ester, GLC resolution of positional isomers of erythro- and threo- forms or as trifluoroacetate derivatives, 399
- TLC, 399
- 12,13-Dihydroxystearic acid, from epoxy acids, 335
- erythro-6,7-Dihydroxystearic acid, melting point and preparative TLC, 399
- erythro-9,10-Dihydroxystearic acid, melting point, 118
- melting point and preparative TLC, 399

LIPIDS, VOL. 1, No. 6

- erythro-11,12-Dihydroxystearic acid, melting point and preparative TLC, 399
- three-9,10-Dihydroxystearic acid, melting point and preparative TLC, 399
- three-11,12-Dihydroxystearic acid, melting point and preparative TLC, 399
- erythro-15,16-Dihydroxytetraacosanoic acid, from seed oil triglycerides, 289
- Dilodimethane, in cyclopropane fatty acid synthesis, 176
- 1,2-Dilinoleoylglycerol-3-phosphoryl serine. See phosphatidyl serine
- Dilinoleoylphosphatidyl serine. See phosphatidyl serine
- Dimethyl acetals, low temp interconversion with fatty aldehydes, 349
- Dimethylphosphatides. See phosphatidic acid, dimethyl ester
- Dimethyl sulfoxide, oxidation procedure, 183
- oxidation of sulfonates, 183
- Dinitrophenylhydrazones, experimental procedure, 1
- melting point, 183
- from ozonides, 1
- from sulfonates, 183
- TLC, 1
- unsaturated fatty acid identification, 1
- Diolein, distribution between micelles and emulsions measured by gel filtration, 430
- hamster intestinal slice absorption, 128
- 4,5-Dioxolauric acid, melting point and UV maximum, 118
- 1,2-Dipalmitin, synthesis and properties, 444
- 2,3-Dipalmitin, synthesis and properties, 444
- Dipalmitoyl- α -batyl alcohol, synthesis and physical properties, 241
- Dipalmitoyl- α -chimy alcohol, synthesis and physical properties, 241
- Dipalmitoyl- β -chimy alcohol, synthesis and physical properties, 241
- Distearoyl- β -batyl alcohol, synthesis and physical properties, 241
- 5,5'-Dithio-bis-(2-nitrobenzoic acid), DTN, 224
- sulphydryl dtm, 224
- Divernolins, in seed oils, 335
- DNP. See dinitrophenylhydrazine or -zone
- cis*, *cis*-5,13-Docosadienoic acid, methyl ester, GLC, 73
- isolation procedure, 73
- ozonolysis, 73
- Docosatrienoic acid, methyl ester, 1
- ozonolysis of, 1
- Docosenoic acid, methyl ester, GLC, 453
- Dodecanoic acid, dithiol diesters x-ray spacing, 6
- Dog kidney, lipids in, 279
- Dotriacontanoic acid, in insect wax, 297
- Double bond, hydroxylation by performic acid, 41
- Double bond location. See fatty acid, unsaturated

E

- EC. See enzymes
- EC 1.3.99. See fatty acid, fatty acid desaturase
- EC 2.3.1. See acyltransferase, acyl CoA: acyl-glycerol phosphoryl choline acyltransferase, acyl CoA: O'-galactosyl sphingosine transferase
- EC 2.7.1.31. See diglyceride kinase
- EC 3.1.1.3. See lipase, triglyceride; lipase, pancreatic; lipase, *Geotrichum candidum*
- EC 3.1.1.4. See phospholipase A
- EC 3.1.4.3. See phospholipase C
- EC 3.1.4.4. See phospholipase D
- Effective methylene number (EMN), of dimethyl phosphatides and phosphatidyl choline, 422
- Egg, fatty acid profile, 132
- cis*-11, *cis*-14-Eicosadienoic acid, 98
- Eicosanoic-1 or 2-mono-, mass spectral data, 371
- Eicosatetraenoic acid, methyl ester, GLC, 453
- Eicosatrienoic acid, methyl ester, 1
- ozonolysis of, 1
- Elaidyl aldehyde, infrared spectrum, 183
- Electrostatic precipitator, methyl esters, 104
- for preparative GLC, 104
- Emulsions and intestinal absorption, 128
- Encephalomyelitis, experimental allergic, 31
- trans-3-Enoic acid, NMR spectrum, 301
- Enzyme commission. See enzymes
- Enzymes, EC 1.3.99. See fatty acid, fatty acid desaturase
- EC 2.3.1. See acyltransferase, acyl CoA: acyl-glycerol phosphoryl choline acyltransferase, acyl CoA: O'-galactosyl sphingosine transferase
- EC 2.7.1.31. See diglyceride kinase
- EC 3.1.1.3. See lipase, triglyceride; lipase, pancreatic; lipase, *Geotrichum candidum*
- EC 3.1.1.4. See phospholipase A
- EC 3.1.4.3. See phospholipase C
- EC 3.1.4.4. See phospholipase D
- Epoxy cleavage, stereospecific, 41
- Epoxyde reduction, by glacial acetic acid, 335
- stereospecific, 41

- Epoxy acids**, absolute optical configuration, 41
 — in natural epoxy oils (seed oils), 335
cis-12,13-Epoxy-cis-9-octadecenoic acid, absolute optical configuration, 41
 — to form trihydroxyoctadecanol, 41
 — preference for 2-position of triglycerides, 335
 — in seed oils, 325, 335
 — stereochemistry, 335
Ergot oil. See oil, ergot
Erucic acid, metabolism, 171
 — protein complex, 171
Erucic acid oils, GLC, 216
Erythrocytes, human males, fatty acid profiles of phospholipids, 391
 — phospholipids in, 391
Essential fatty acid, synthesis in rats, 233
Esters, sulfate-synthesis, 221
 — Also see specific fatty acid (except glycerides may be indexed only under tri-, di-, or monoglyceride names)
Etolide 2-monoglyceride, lipase hydrolysis, 187
Etolide triglyceride, lipase hydrolysis, 187
1,2-Ethanedithiol, fatty acid diester X-ray spacing, 6
Ethers, of fatty acids, 141
 — glycerol, diacyl esters in tumors, 381
 — synthesis of radioisotopic, 241
Eye, human lens. See lens

F

- Fat**, animal triglyceride comp, 27
 — from cow, goat, sheep, swine, human and their δ -lactone content, 387
 — pig adipose, dietary effect on cholesterol levels in rats, 322
 — sheep perinephric, isomeric methoxysearic acids, 316
 — vegetable triglyceride comp, 27
Fats, used frying, nutritional studies in rats, 254
Fatty acid, acyltransferase specificity, 224
 — brain glycolipids, 47
 — *Briza spicata* galactoglyceride profiles, 123
 — *Capsicum* species lipids profile, 136
 — in cerebroside in diabetes, 237
 — chain elongation, 47
 — changes with age in testis, 197
 — comp of diglyceride kinase product and substrate, 444
 — comp of triglyceride lipase hydrolysis products, 444
 — $\Delta 6,7$ desaturase-EC 1.3.99.7, proposed enzyme, 341
 — 9,10-desaturase, enzyme in brain, 47
 — $\Delta 9,10$ desaturase-EC 1.3.99.7, proposed enzyme, 341
 — diet and synthesis, 76
 — distribution between micelles and emulsions measured by gel filtration, 430
 — distribution in human hair glycerides, 274
 — dithiol diesters, 6
 — crystalline form, 6
 — x-ray diffraction, 6
 — environmental temp effect on profiles, 113
 — enzymatic synthesis in mammary glands, 76
 — ether linkage containing, 141
 — fish, 113
 — galactoglycerides profile, 123
 — GLC, 10, 176, 197, 230, 233, 237
 — GLC analysis from insects, 209
 — glycolipids, 47
 — *trans*-3-hexadecenoic acid, synthesis, 81
 — of insects, 209
 — in insect wax, 297
 — isolation from fish, 113
 — liberation by phospholipase A, 258
 — low temp methylation, 305
 — metabolic products of α -alkoxy glyceryl monoethers, 328
 — metabolism of brain glycolipids, 47
 — metabolism by rat, 171
 — methyl ester, separation by CDCD, 163
 — methyl ester column chromatography, 231
 — migration during acetylation, 160
 — monothiol esters, 6
 — crystalline form, 6
 — x-ray diffraction, 6
 — not incorporated into a tumor lipid, 381
 — octadecanoic acid metabolism, 87
 — in peripheral nerve cerebroside, 237
 — phosphatidyl choline profile, 132
 — positional isomers in rat liver phosphatidyl choline, 224
 — positional isomers in rat liver triglycerides, 224
 — profile for each position in triglycerides, 444
 — profile, in *Artemia salina*, 427
 — in green algae, 427
 — *Hydra pseudoligactis*, 427
 — of cream, 305
 — of dietary lipids from soybean and pig fat, 322
 — of glycolipids in lens, 21
 — of hen blood plasma, 305
 — of human erythrocyte lysophosphatidyl choline, 391
 — of human erythrocyte phosphatidyl choline, 391
 — of human erythrocyte phosphatidyl ethanolamine, 391
 — of human erythrocyte phosphatidyl inositol, 391
 — of human erythrocyte phosphatidyl serine, 391
 — of human erythrocyte sphingomyelin, 391
 — of phospholipid in human serum, 89
 — in rat liver lipids, 224
 — in seed oils (*Crepis*) 325
 — of *Staphylococcus aureus*, 305
 — of swine liver and kidney, 305
 — of testis, 197
 — of yeast cells (dried baker's), 305
 — rate of oxidation in rats, 415
 — recovery after GLC, 230
 — relationships in an aquatic food chain, 427
 — in seed oils, 10, 118
 — synthesis in mammary glands, 76
 — taxonomy of seeds, 118
 — TLC, 98, 233
 — turnover in brain, 47
 — very long chain, GLC, 449
 — in human brain sphingolipids, 449
Fatty acid, aromatic, methyl esters, from thermal reactions of methyl linoleate, 359
 — methyl esters, toxicity, 359
Fatty acid, cyclic (nonaromatic) methyl esters, from thermal reactions of methyl linoleate, 368
Fatty acid, cyclopropane, GLC, 176
 — mass spectrometry, 176
 — prep, 176
 — preparative TLC, 176
Fatty acid, cyclopropane, 10
 — GLC analysis, 10
 — hydrogenation products, 10
 — methylmercaptan derivative, 10
 — TLC separation of mercaptans, 10
Fatty acid, hydroxy, column chromatography, 288
 — metabolism, 47
 — methyl ester column chromatography, 231
 — polyhydroxy-fatty acid nomenclature, 399
 — polyhydroxysearic acids and assignment of configurations to diastereoisomers, 399
 — prep of trifluoroacetate derivatives, 399
Fatty acid-keto-, from seed oil, 265
Fatty acid, unsaturated, acyltransferase specificity, 224
 — biosynthesis, 47
 — changes with age in bovine testis, 197
 — *cis-trans* separations, 98, 176
 — cyclopropane fatty acids, 176
 — essential not from *cis*-2-octenoic acid, 233
 — geometric isomers, 98
 — geometric isomers, dtm of configuration, 399
 — GLC, 233
 — hydrazine reduction, 98
 — in insect wax, 297
 — location of unsaturation, 1, 98, 166
 — methyl linoleate diet to rats, 224
 — monoethylenic isomers in fish oil (herring), 341
 — oxidizing by periodate-permanganate, 233
 — positional isomers, 1
 — profile in seed oils (*Crepis*), 325
 — qualitative identification, 1
 — quantitative micro hydroxylation procedure, 399
 — rate of oxidation in rats, 415
 — TLC, 98, 233
 — toxicity after prolonged heating, 363
Fatty acid metabolism, comparative rates of acetic, stearic, oleic, and linoleic acids, 415
 — effect of dietary fats and sex, 415
Fatty acid oxidation, its relationship to cholesterol synthesis in rats, 415
Fish, *Gambusia affinis*, fatty acid profiles, 113
 — *Lebistes reticulatus*, fatty acid profiles, 113
Fish oil. See oil, fish
Flax phosphatidyl inositol, 16
Fly, lipids of, 209
Food chain, aquatic, fatty acid profiles, 427

G

- Galactoglycerides**, *Briza spicata* seeds, 123
Galactolipids, complex in myelin, 296
Galactosyl sphingosine, as cerebroside precursor in peripheral nerve, 237
Gangliosides, dihydrospingosine content, 21
 — fatty acid metabolism, 47
 — fatty acid profile, 21
 — in human eye lens, 21
 — identification, 21
 — isolation procedure, 21, 47
 — preparative TLC, 21

Gas-liquid chromatography. See chromatography, gas-liquid
Gel filtration, of bile salt lipid emulsions, 430
 — separation of emulsion and miscellar phases, 430
GLC. See chromatography, gas-liquid
Glycerate kinase-EC 2.7.1.31. See diglyceride kinase
Glycerides, in *Capicum* seed and their fatty acid profile, 136
 — from ergot, 188
 — in human hair, 274
 — from insects, 209
 — positional isomers, 162
 — from seed oil, 289
Glycerol ester hydrolase-EC 3.1.1.3. See lipase, triglyceride;
 lipase, pancreatic; lipase, *Geotrichum candidum*
Glycerol ethers, diacyl esters in tumors, 381
 — synthesis of radioisotopic, 241
Glycerophosphatides, fatty acid distribution, 160
DL- α -Glycerophosphoryl-anisoyloxycarbonyl-L-serine, synthesis and properties, 439
Glycerol monoethers, GLC analysis, 62
 — long chain isomers, 62
 — metabolism in rat, 328
 — TLC separations, 62
 — trifluoroacetyl prep, 62
Glycolipid antigens, 31
Glycolipids, *Briza spicata*, 123
 — in human eye lens, 21
 — seeds, 123
Goat, δ -lactones in milk fat, 387
GPC. See glycerolphosphoryl choline or acylglycerylphosphonyl choline
Guppies, fatty acid profiles, 113

H

Hair, human, glycerides and other lipids in, 274
Heart, lipid extract, 159
Heat decomposition of fatty acids. See thermal reactions
Heptadecanoic acid, metabolism in brain, 47
2,2,4,4,6,6,8-Heptamethyl nonane, pyrolysis chromatography, 247
Heptanoic acid, GLC, 230
7-(2-pentyl cyclohexyl) Heptanoic acid, methyl ester, mass spectrum, 359
7-(2-pentylphenyl) Heptanoic acid, methyl ester, mass spectrum, 359
 — synthesis and physical properties, 359
 — from thermal reactions of methyl linoleate, 359
Herring oil. See oil, fish, *Clupea pallasii*
Hexacosanol, in insect wax, 297
17-oxo-cis-20-Hexacosenoic acid, methyl esters, NMR spectrum, 268
 — structure dtmn, 268
Hexadecanoic acid, dithiol diesters X-ray spacing, 6
1-Hexadecene, TLC, 183
trans-3-Hexadecenoic acid, NMR spectrum, 301
 — in seed oil (*Grindelia oxylopiis*), 301
 — synthesis, infrared spectrum, proof of structure, 81
Hexadecyl glycerol ethers, metabolism by rats, 328
 — synthesis and physical properties, 241
di-O-Hexadecyl L- α -glyceryl-(2-bromoethyl) phosphonate, physical properties, 291
di-O-Hexadecyl L- α -glyceryl-(2-trimethyl ammonium ethyl) phosphonate, physical properties, 291
Hexanoic acid, GLC, 230
Hog liver lipids, CDCD, 163
Human, δ -lactones in milk fat, 387
Human brain sphingolipids, content of very long chain fatty acids, 449
Human erythrocytes, phospholipids and fatty acids in, 391
Human eye lens. See lens
Human hair, glycerides and other lipids in, 274
Human serum. See serum, human
Hydra pseudoligactis, effect of temp on fatty acid profiles, 427
Hydra pseudoligactis, fatty acid profiles of total lipids, 427
Hydrazine reduction, experimental procedure, 98
 — of fatty acids, 98
Hydrocarbon, mass spectrometric identification of pyrolysis products, 247
 — pyrolysis chromatography, 247
Hydrogenator, automatic, 152
Hydrogen-iodine values, seed oils, 152
12-Hydrostearic acid, methyl ester, GLC of trifluoroacetate derivative, 399
 — TLC, 399
12-Hydroxy-cis-9-octadecenoic acid, column chromatography, 238
 — to form trihydroxyoctadecanol, 41
 — methyl ester, TLC, 399
Hydroxylation, of double bonds, 41
Hydroxylation of unsaturated fatty acids, quantitative micro procedure, 399
12-Hydroxyoleic acid. See 12-hydroxy-cis-9-octadecenoic acid

LIPIDS, VOL. 1, NO. 6

9-Hydroxystearic acid, methyl ester-column chromatography, 231
13-Hydroxystearic acid, methyl ester-column chromatography, 231

I

Impurities. See lipid contaminants
Infrared spectra. See spectra, infrared
Inositol. See phosphatidyl inositol
Insect, *Ceroplastes pseudoceriferus* Green, 297
Insects, column chromatography (DEAE) of lipids, 209
 — GLC analysis of fatty acids, 209
 — lipids of, 209, 297
 — membranes, 209
Insects, Coleoptera, *Altica ambiens alni* (Chrysomelidae), 209
 — *Chrysomela crotchii* (Chrysomelidae), 209
 — *Pissodes strobi* (Curculionidae), 209
 — *Tenebrio molitor* (Tenebrionidae), 209
Insects, Diptera, *Chironomus* sp. (Chironomidae), 209
 — *Euxesta notata* (Otalidae), 209
 — *Hylemia antiqua* (Muscidae), 209
 — *Musca domestica* (Muscidae), 209
 — *Nephrotoma sodalis* (Tipulidae), 209
 — *Phytophaga rigidae* (Cecidomyiidae), 209
 — *Rhabdophaga swaini* (Cecidomyiidae), 209
 — *Strauzia longipennis* (Triptidae), 209
Insects, Homoptera, *Anuraphis bakeri* (Aphididae), 209
 — *Aphrophora parallela* (Cercopidae), 209
 — *Prociphilus tessellatus* (Aphididae), 209
 — *Schizolachnus pini-radiatae* (Aphididae), 209
Insects, Hymenoptera, *Arge pectoralis* (Tenthredinidae), 209
 — *Monoctenus juniperinus* (Diprionidae), 209
 — *Neodiprion sertifer* (Diprionidae), 209
 — *Pionema alaskensis* (Tenthredinidae), 209
Insects, Lepidoptera, *Archips cerasivoranus* (Tortricidae), 209
 — *Datana integririma* (Notodontidae), 209
 — *Erannia tiliaria* (Geometridae), 209
 — *Hyphantria cunea* (Arctiidae), 209
 — *Paleacrita vernata* (Geometridae), 209
Insects, Orthoptera, *Diapheromera femorata* (Phasmatidae), 209
Intestinal alics, absorption of fats, 128
Isomers, cis, trans separation, 176
 — diastereo-, diastereoisomeric configurations of polyhydroxystearic acid, 399
 — of methoxystearic acid, artifact of prep, 316
 — 1- and 2-monglycerides identification by mass spectra of trimethylsilyl ethers, 371
 — positional, of monoethylenic fatty acids in fish oil, 341
 — of three- and erythro- dihydroxystearic acids, 399
 — of triglycerides, 162
 — in unsaturated fatty acids, 1
 — separation of hydroxy fatty acids, 231
Iron, interaction with asarbic acid, 146
 — lipid peroxidation, 146

K

Kidney, dog, lipids in, 279
 — rat, lipids in, 279
 — swine, fatty acid profile, 305
Kidney cortex, rabbit, fatty acids in phosphatidyl choline and it's dimethyl phosphatidates, 422

L

Lactating mammary glands, diet and fatty acid synthesis, 76
 — enzyme isolation procedure, 76
 δ -Lactones, aliphatic, in animal fats, 387
 — column chromatography and GLC, 387
Lauric acid, from seed oils, 118
Laurin-1 or 2-mono-, mass spectral data, 371
Lecithin. See phosphatidyl choline
Lecithinase A. See phospholipase A
Lecithinase C. See phospholipase C
Lens, human, phospholipids, 161
 — human eye, glycolipids of, 21
 — neutral glycolipids of, 21
 — triglycerides, 86
Linoleic acid, 98
Linoleic acid, cis 9, cis 12, acyltransferase specificity, 224
 — cis 9, cis 12, in phosphatidyl choline and triglycerides, 224
 — cis 9, trans 12, acyltransferase specificity, 224
 — cis 9, trans 12, in phosphatidyl choline and triglycerides, 224

- in galactoglycerides, 123
- GLC retention time, 10
- of insects, 209
- lipoxidase-EC 1.99.2.1-incorporation of oxygen from O₂, 293
- methyl ester, 166
 - by CDCD, 163
 - conditions for thermal reactions, 353
 - isolation of aromatic methyl ester from thermal products, 359
 - isolation of non-aromatic cyclic methyl esters from thermal products, 368
 - isolation from safflower oil, 353
 - mechanism for thermal formation of aromatic methyl esters, 359
 - separation of thermal products, 353
 - toxic products formed during prolonged heating, 353
- rate of oxidation in rats, 415
- *trans* 9, *cis* 12, acyltransferase specificity, 224
- *trans* 9, *cis* 12, in phosphatidyl choline and triglycerides, 224
- *trans* 9, *trans* 12, acyltransferase specificity, 224
- *trans* 9, *trans* 12, in phosphatidyl choline and triglycerides, 224
- *trans*, *trans*-Linoleic acid, dicyclopropane derivative, mass spectrum, 176
- Linolein-1 or 2-mono, mass spectral data, 371
- Linolenic acid, methyl ester, 166
 - peroxidation by heme, 282
- Linolenin-1 or 2-mono, mass spectral data, 371
- Linolenyl aldehyde, infrared spectrum, 183
- Linoleyl aldehyde, infrared spectrum, 183, 349
 - procedure for dimethyl acetal formation, 349
- Linoleyl aldehyde dimethyl acetal, infrared spectrum, 349
 - procedure for aldehyde formation, 349
- Lipase, pancreatic, hydrolysis of triolein, 335
 - pancreatic-EC 3.1.1.3, on estolide triglycerides, 188
 - glyceride hydrolysis, 234
 - hydrolysis of long chain saturated triglycerides, 287
- phospholipase A-EC 3.1.1.4, comparison of several snake venoms, 258
 - phosphatidyl choline structure, 234
- phospholipase C-EC 3.1.4.3, formation of 1,2-diglycerides, 234
- triglyceride, use in triglyceride stereospecific structure dtmn, 444
- triglyceride-EC 3.1.1.3, enzyme prep, 444
- -EC 3.1.1.3 from *Geotrichum candidum* specific for oleic acid, 294
- -EC 3.1.1.4 phospholipase A for phosphatidyl choline, 224
- Lipids, bovine testis, 197
 - column chromatography, 197
 - hog liver separation by CDCD, 163
 - in human hair, 274
 - of insects, 209, 297
 - insect membranes, 209
 - laboratory contamination of, 107
 - low temp methylation, 305
 - mass spectrometry of cyclopropane fatty acids, 176
 - mass spectrometry of monoglycerides and derivatives, 371
 - neutral from insects, 209
 - seed, *Briza spicata* galactoglycerides, 123
 - Capsicum annuum* fatty acid profiles, 136
 - Capsicum frutescens* fatty acid profiles, 136
 - Capsicum pendulum* fatty acid profiles, 136
 - Capsicum sinense* fatty acid profiles, 136
 - total, effect of diet on synthesis in rats, 409
 - in tumors not seen in normal tissues, 381
- Lipid biosynthesis, 237
 - effect of diet, sex and age, 409
- Lipid contaminants, a laboratory problem for lipid analysis, 107
 - water soluble, 159
- Lipid extraction, procedure from fish, 113
 - from fish muscle, 216
 - from freeze-dried tissue, 279
 - from heart, 159
 - from human erythrocytes, 301
 - from insects, 209, 297
 - from liver, 171
 - from lyophilized lipoproteins, 309
 - from mycelia, 187
 - from peripheral nerve, 287
 - from pig fat for dietary use, 322
 - from rat adipose tissue, 233
 - from rat carcasses, 409
 - from rat liver, 233
 - from rat viscera, 233
 - from sclerotia, 187
 - from seed oil, 263
 - from seeds, 136, 216

- from serum, 89
- from sheep perinephric fat, 316
- from soybean oil for dietary use, 322
- from testis, 197
- from tumors, 381

- Lipid peroxidation, inhibition by quinones and quinols, 282
 - in rat tissue homogenates, 146
- Lipid protein complex, 171
- Lipid protein complexes, as antigens, 31
- Lipo-phosphatidyl choline, human erythrocyte fatty acid profile, 391
- Lipoprotein, rat plasma, comp, 309
 - synthesis *in vivo*, 309
- Lipoxidase-EC 1.99.2.1, origin of oxygen incorporated, 293
 - reaction mechanism, 293
- Liver, rat, cholesterol levels and diet, 322, 409
 - metabolism of α -alkoxy glyceryl monoethers, 328
 - subcellular fractions distribution of radioactivity from chymyl alcohol *in vivo*, 328
 - triglycerides, 444
- — swine, fatty acid profile, 305
- Liver lipids, hog CDCD, 163
 - rat, 171
- Lysolecithin. See lysophosphatidyl choline
- Lysophosphatidyl choline, acyltransferase specificity, 224
 - in human serum, 89
 - TLC and column chromatography, 89
- Lysophosphatidyl ethanolamine, in human serum, 89
 - TLC and column chromatography, 89

M

- Malvalic acid, 10
 - methyl mercaptan adduct, 10
- Mammary glands, fatty acid synthesis, 76
- Mass spectrometry, analytical conditions, 247
 - after pyrolysis of hydrocarbons, 247
 - also see spectra, mass
- Mathematical distribution methods for triglycerides, evaluation of, 27
- Membrane, lipid comp of insects, 209
- Mercaptan, addition to cyclopropanes, 10
 - dtmn by 5,5'-dithio-bis-(2-nitrobenzoic acid), DTN, 224
- 2-Mercaptoethane, fatty acid ester x-ray spacing, 6
- Metabolism, α -alkoxy glyceryl monoethers in rat liver, 328
 - brain glycolipid fatty acids, 47
 - fatty acids, 47
 - fatty acids in rats, 171
 - effect of dietary fats and sex on fatty acid oxidation in rats, 415
 - effect of diet, sex and age on total lipid and cholesterol synthesis, 409
 - octadecane in rats, 87
 - proposed route for monoethylenic fatty acids isomers, 341
- Metabolism of degenerating peripheral nerve, 369
- Metabolism of peripheral nerve, 237
- Methanolysis of dimethylphosphatides, 422
- Methoxyoctadecanoic acids, isomers as artifacts, 316
 - mass spectrum of isomers, 316
- Methoxystearic acid, methyl esters, isomers produced as artifacts during methylation, 316
- Methyl β -alkoxypropionate. See β -alkoxypropionic acid
- Methyl arachidonate. See arachidonic acid
- Methylation, low temp of fatty acids, 305
- Methyl decanoate. See decanoic acid
- Methyl *cis*, *cis*-5,13-docosadienoate. See docosadienoic acid
- Methyl docosatrienoate. See docosatrienoic acid
- Methyl eicosatrienoate. See eicosatrienoic acid
- Methyl esters of fatty acids, counter double current distribution, 163
- Methyl laurate. See lauric acid
- Methyl linoleate. See linoleic acid
- Methyl linolenate. See linolenic acid
- Methyl mercaptan, addition to cyclopropanes, 10
- Methyl myristate. See myristic acid
- 2-Methyl octadecane, pyrolysis chromatography, 247
- 4-Methyl octadecane, pyrolysis chromatography, 247
- 6-Methyl octadecane, pyrolysis chromatography, 247
- Methyl oleate. See oleic acid
- Methyl palmitoleate. See palmitoleic acid
- Methyl petroselinate. See petroselinic acid
- Methyl vaccenate. See vaccenic acid
- Micelles, separated from emulsions by gel filtration, 430
- Micelles and intestinal absorption, 128
- Microorganism, *Staphylococcus aureus*, fatty acid profile, 305
 - yeast (dried baker's), fatty acid profile, 305
- Microsomes, lipid peroxidation, 146
- Migration, of acyl groups, 234
- Milk, fatty acid profile, 132
- Mitochondrial peroxidation, inhibition by ubiquinone, 282

- Monoacylglycerol.** See monoglycerides, also see under specific name of the monoglyceride, or as a specific fatty acid ester
- Monostolide triglyceride.** occurrence in ergot oil, 188
- Monogalactoglycerides, *Briza spicata* seeds,** 123
- Monoglycerides, in *Capsicum* seed and their fatty acid profile,** 136
- diacyl and trimethylsilyl derivatives, mass spectra, 371
- distribution between micelles and emulsions measured by gel filtration, 430
- in human hair, 274
- mass spectra, 371
- Monopalmitoyl- β -chimyl alcohol,** synthesis and physical properties, 241
- Monostearoyl- β -batyl alcohol,** synthesis and physical properties, 241
- Monovernolins, in seed oils,** 335
- Monquito fish, fatty acid profiles,** 113
- Myelin, cholesterol-sphingolipid-phosphatidyl ethanolamine complex,** 296
- Myelin lipids, metabolism,** 237, 369
- Myristic acid, from seed oils,** 118
- Myristin-1,3-diacetin, mass spectra,** 371
- Myristin-2,3-diacetin, mass spectra,** 371
- Myristin-1- or 2-mono-, mass spectra,** 371
- Myristin-2,3- or 1,3-di- (trimethylsilyl) ether, mass spectra,** 371

N

- Nerve, peripheral metabolism during degeneration,** 369
- Nerve conduction in diabetes,** 237
- Nerve lipids, TLC,** 237
- Nerve—peripheral, in alloxan diabetic rats,** 237
- metabolism, 237
- Nervonic acid, in ganglioside,** 21
- metabolism, 171
- protein complex, 171
- Neutral lipids. See lipids, neutral**
- 1,3 O-di-p-Nitrobenzoyl ceramide, prep and infrared spectrum,** 31
- p-Nitrophenyl tetraacetyl glycosides, infrared spectra,** 31
- Nomenclature, of polyhydroxy-fatty acids,** 399
- Nonanoic acid, GLC,** 230
- Nuclear magnetic resonance. See spectra, nuclear magnetic resonance**
- Nutrition, of used frying fats for rats,** 254
- Also see diet

O

- Octacosanoic acid, in insect wax,** 297
- 19-oxo-cis-22-Octacosenoic acid, structure dtmn and physical properties,** 268
- Octadecane, oxidation *in vivo* in rats,** 87
- n-Octadecane, pyrolysis chromatography,** 247
- Octadecadienoic acid, from seed oils,** 118
- trans, trans-9,11-Octadecadienoic acid, dicyclopropane derivative, mass spectrum,** 176
- Octadecanoic acid, dithiol diesters x-ray spacing,** 6
- incorporation in sebaceous glands, 87
- cis-9, trans-11, trans-13, cis-15-Octadecatetraenoic acid,** 263
- trans-3, cis-9, cis-12-Octadecatrienoic acid, in seed oil (*Grindelia oxylepis*),** 301
- cis-9-Octadecen-12-ynoic acid, in seed oil,** 325
- Octadecenoic acid, from seed oils,** 118
- cis-9-Octadecenoic acid, from the hydrazine reduction of linoleic acid,** 235
- cis-12-Octadecenoic acid, from the hydrazine reduction of linoleic acid,** 235
- cis-15-Octadecenoic acid, from the hydrazine reduction of linoleic acid,** 235
- methyl ester-column chromatography separation from isomers, 235
- physical properties, 235
- trans-3-Octadecenoic acid, NMR spectrum,** 301
- Octadecyl glycerol ethers, metabolism by rats,** 328
- synthesis and physical properties, 241

LIPIDS, VOL. 1, NO. 6

- di-O-Octadecyl L- α -glyceryl-(2-bromoethyl) phosphonate, physical properties,** 291
- di-O-Octadecyl L- α -glyceryl-(2-trimethyl ammonium ethyl) phosphonate, physical properties,** 291
- Octadecyl sulfate, synthesis,** 221
- Octanoic acid, GLC,** 230
- dithiol diesters x-ray spacing, 6
- 8-(2'-butyl cyclohexyl) Octanoic acid, methyl ester, mass spectrum,** 359
- 8-(2'butyl phenyl) Octanoic acid, methyl ester, mass spectrum,** 359
- synthesis and physical properties, 359
- from thermal reactions of methyl linoleate, 359
- cis-2-Octenoic acid, failure to form linoleic acid in rats,** 233
- Oil, ergot, *Claviceps purpurea*,** 188
- fatty acid profile, 188
- fish, *Brevoortia tyrannus*, 216
- *Clupea pallasi* Valenciennes fatty acid isomers, in, 341
- *Euthynnus alletteratus*, 216
- GLC, 216
- menhaden, 216
- tuna, 216
- mycelia, from ergot, 188
- sclerotia, from ergot, 188
- seed, *Brassica napus*, 216
- *Lunaria annua*, 216
- nasturtium, 216
- *Nasturtium officinale*, 216
- rapeseed, 216
- *Tropaeolum majus*, 216
- watercress, 216
- unsaturation dtmn, 152
- Oilseeds, *Althaea rosea* cav, cyclopropane fatty acids,** 10
- *Bombacopsis glabra*, cyclopropane fatty acids, 10
- *Bombax malabaricum*, cyclopropane fatty acids, 10
- *Cardamine impatiens* L., 289
- *Cephalaria joppica*, 335
- *Cinnamomum camphora*, fatty acid profile, 118
- cottonseed, nutritional value of used frying oil, 254
- *Crepis aurea*, 325, 335
- *Crepis biennis*, 335
- *Crepis biennis* L., 325
- *Crepis foetida* L., 325
- *Crepis intermedia* gray, 325
- *Crepis occidentalis*, 335
- *Crepis occidentalis* Nutt., 325
- *Crepis rubra* L., 325
- *Crepis Thomsonii* Babe, 325
- *Crepis vesicaria*, 335
- *Crepis vesicaria* L., 325
- *Cuspidaria pterocarpa*, 268
- cyclopropane fatty acids, 10
- docosadienoic acid, 73
- *Euonymus verrucosus*, 286
- *Euphorbia lagascae*, 335
- *Gossypium hirsutum* L., cyclopropane fatty acids, 10
- *Grindelia oxylepis*, 301
- *Hibiscus esculentus* L., cyclopropane fatty acids, 10
- *Hibiscus syriacus*, cyclopropane fatty acids, 10
- hydrogen-iodine values, 152
- *Impatiens edgeworthii*, 263
- *Limnanthes douglasii*, 73
- *Lindera benzoin*, fatty acid profile, 118
- *Lindera praecox*, fatty acid profile, 118
- *Lindera umbellata*, fatty acid profile, 118
- *Laurus nobilis*, fatty acid profile, 118
- *Lavatera trimestris*, cyclopropane fatty acids, 10
- *Malope trifida*, 335
- *Scabiosa* sp., 335
- soybean, nutritional value of used frying oil, 254
- *Sterculia foetida*, cyclopropane fatty acids, 10
- *Tilia platyphilla*, cyclopropane fatty acids, 10
- *Umbellularia californica*, fatty acid profile, 118
- *Valerianella radiata*, 335
- *Vernonia anthelmintica*, 335
- Oleic acid, cyclopropane derivative, mass spectrum,** 176
- in galactoglycerides, 123
- GLC retention time, 10
- metabolism, 171
- methyl ester, 166
- mass spectrum, 176
- ozonolysis of, 1
- rate of oxidation in rats, 415
- Olein-1- or 2-mono-, mass spectral data,** 371
- Oleoyl-coenzyme A, in cerebroside synthesis,** 237
- Oleyl aldehyde, infrared spectrum,** 183
- Oxidative polymerization, of linolenic acid,** 282
- 2-Oxyethyl alcohols, physical properties,** 141

- Ozonides**, pyrolysis of, 166
 — reduction by 2,4-dinitrophenylhydrazine, 1
 — reduction by hydrogen, 98
 — of unsaturated fatty acids, 1, 98
- Ozonolysis**, experimental procedure, 1, 166
 — of fatty acid esters, 1, 166
 — of fatty acid esters and experimental procedure, 98
- P**
- Palmitaldehyde**, infrared spectrum, 349
 — procedure for dimethyl acetal formation, 349
- Palmitaldehyde dimethyl acetal**, infrared spectrum, 349
 — procedure for aldehyde formation, 349
- Palmitic acid**, in galactoglycerides, 123
 — in ganglioside, 21
 — GLC retention time, 10
 — metabolic products of α -alkoxy glyceryl monoethers, 323
 — metabolism in brain, 47
 — protein complex, 171
- Palmitin-1 or 2-mono-**, mass spectral data, 371
- Palmitoleic acid**, of insects, 209
 — methyl ester, 1
 — ozonolysis of, 1
- 12-O-Palmitoyl ricinoleic acid**, methyl ester, 188
- Pancreatic lipase-EC 3.1.1.3**, triglyceride structure dtmn, 224
 — EC 3.1.1.3, glyceride hydrolysis, 234
 — EC 3.1.1.3, hydrolysis of long chain saturated triglycerides, 237
 — Also see lipase
- Paper chromatography**. See chromatography, paper
- α -Parinaric acid**, methyl esters spectral data (U.V., IR), 263
 — stereochemistry, 263
- Penicillium**, growth inhibition by β -alkyloxypropionic acids, 141
- 1,5-Pentanedithiol**, fatty acid diester x-ray spacing, 6
- Peripheral nerve metabolism**, 237
 — during degeneration, 369
- Peroxidation**, of lipids by rat tissue homogenates, 146
 — See specific class or compound, e.g. lipid peroxidation
- Petroselinic acid**, methyl ester, 1
 — ozonolysis of, 1
- Phosphatide acyl-hydrolase-EC 3.1.1.4**. See phospholipase A
- Phosphatidic acid**, dimethyl ester, diazomethane methylation of phosphatidic acid, 422
 — methanololysis, 422
 — from phosphatidyl choline, 422
 — TLC separations, 422
 — in human lens, 161
 — from phosphatidyl choline by phospholipase D hydrolysis, 422
- Phosphatidyl choline**, acetyolysis, 160, 234
 — bovine testis, 197
 — bovine testis fatty acid changes with age, 197
 — egg, 132
 — fatty acid positional isomers, 224
 — formation from batyl and chimyl alcohols in rats, 328
 — human erythrocyte fatty acid profile, 391
 — in human lens, 161
 — in human serum, 89
 — hydrogenation, 258
 — of insects, 209
 — intestinal slice absorption, 128
 — milk, 132
 — positional isomer dtmn, 224
 — purification by column chromatography, 258
 — safflower, 132
 — soybean, 132
 — structure dtmn, 132
 — specificity of phospholipase A, 258
 — synthesis from acyl-coenzyme A, 224
 — synthesis by acyltransferase-EC 2.3.1, 224
 — TLC, 197
 — TLC and column chromatography, 89
- Phosphatidyl choline cholinephosphohydrolase-EC 3.1.4.3**. See phospholipase C
- Phosphatidyl choline phosphatidehydrolase-EC 3.1.4.4**. See phospholipase D
- Phosphatidyl ethanolamine**, bovine testis, 197
 — bovine testis fatty acid changes with age, 197
 — complex in myelin, 296
 — formation from batyl and chimyl alcohols in rats, 328
 — human erythrocyte, fatty acid profile, 391
 — in human lens, 161
 — in human serum, 89
 — of insects, 209
 — TLC, 197
 — TLC and column chromatography, 89
- Phosphatidyl inositol**, human erythrocyte fatty acid profile, 391
 — in human lens, 161
 — in human serum, 89
 — plant, 16
 — prep of specific salts, 16
 — silicic acid chromatography of salts, 16
 — solubility of salts, 16
 — TLC and column chromatography, 89
- Phosphatidyl serine**, effect on blood clotting, 439
 — human erythrocyte fatty acid profile, 391
 — in human lens, 161
 — in human serum, 89
 — TLC and column chromatography, 89
 — total synthesis of the diinoleoyl compound, 439
- Phospholipase A**, assay procedure, 258
 — from *Ophiophagus hannah*, 258
- Phospholipase A-EC 3.1.1.4**, comparison of several snake venoms, 258
 — phosphatidyl choline structure, 224, 234
- Phospholipase C-EC 3.1.4.3**, formation of 1,2-diglycerides, 234
- Phospholipase D-EC 3.1.4.4**, hydrolysis of phosphatidyl choline, 422
- Phospholipid extraction**, procedure from serum, 89
- Phospholipids**, acetyolysis, 160
 — bovine testis, 197
 — in *Capicaum* seed and their fatty acid profile, 136
 — column chromatography, 89
 — complex with cholesterol esters and protein, 285
 — in erythrocytes from human males, 391
 — human brain comp, 85
 — of human eye lens, 161
 — in human serum, 89
 — of insects, 209
 — phosphorus dtmn, 85
 — plant, 16
 — purity criteria by infrared spectra, 89
 — rat liver, 171
 — structure dtmn, 132
 — TLC, 89, 197
 — TLC analysis, 85
 — Also see specific names
- Phosphonic acid**, analogues of diether L- α -lecithin, 291
- Phosphonolipids**, synthesis, 291
- Phytane**, pyrolysis chromatography, 247
- Pig**, adipose fat, dietary effect on cholesterol levels in rats, 322
 — kidney and liver fatty acid profiles, 305
- Placenta**, cat, lipids in, 279
- Plasma**, hen blood, fatty acid profile, 305
 — rat blood, lipoprotein comp and synthesis, 309
- Plasmalogen**, choline, human erythrocyte fatty acid profile, 391
 — ethanolamine, human erythrocyte fatty acid profile, 391
 — ethanolamine imine, artifact due to acetone, 279
 — in human serum, 89
- Polyenes**. See fatty acid, unsaturated
- Polyhydroxystearic acids**, diastereoisomers configuration, 399
- Pristane**, pyrolysis chromatography, 247
- 1,2-(dihexadecanoate)-3-(hexadecyloxy) Propane**, synthesis and physical properties, 241
- 1,2-(dihexadecanoate)-3-(octadecyloxy) Propane**, synthesis and physical properties, 241
- 1,3-(dihexadecanoate)-2-(hexadecyloxy) Propane**, synthesis and physical properties, 241
- 1,3-(dioctadecanoate)-2-(octadecyloxy) Propane**, synthesis and physical properties, 241
- 1-(hexadecyloxy)-2,3-Propanediol**, synthesis and physical properties, 241
- 2-(hexadecyloxy)-1,3-Propanediol**, synthesis and physical properties, 241
- 1-(octadecyloxy)-2,3-Propanediol**, synthesis and physical properties, 241
- 2-(octadecyloxy)-1,3-Propanediol**, synthesis and physical properties, 241
- 1,3-Propanedithiol**, fatty acid diester x-ray spacing, 6
- 1-(monohexadecanoate)-3-(hexadecyloxy)-3-Propanol**, synthesis and physical properties, 241

- 1-(mono-octadecanoate)-2-(octadecyloxy)-3-Propanol, synthesis and physical properties, 241
- 3-(2-(2-octyloxy) ethyloxy) ethyloxy Propionic acid, infrared spectrum, 141
- 3-(2-(2-octyloxy) ethyloxy) ethyloxy Propionic acid, methyl ester infrared spectrum, 141
- 3-(2-(2-octyloxy) ethyloxy) ethyloxy Propionitrile, infrared spectrum, 141
- Propionic acid, metabolism in brain, 47
- Protein, fatty acid complex, 171
- human serum, complex with cholesteryl ethers and phospholipids, 285
- Psychosine, as cerebroside precursor in peripheral nerve, 237
- Psychosine antigens, 31
- Pyrolysis, products from osonides, 166
- Pyrolysis chromatography. See chromatography, pyrolysis

Q

- Quinols, inhibition of lipid peroxidation, 282
- Quinones, inhibition of lipid peroxidation, 282

R

- Rabbit kidney cortex, fatty acids in phosphatidyl choline and its dimethyl phosphatidates, 422
- Radioassay, GLC recovery dtmn, 230
- Rat, effect of sex on cholesterol synthesis, 409
- effect of diet on cholesterol synthesis, 409
- effect of diet on fatty acid oxidation, 415
- fatty acid metabolism, 171
- liver and blood serum, cholesterol levels and diet, 322
- metabolism of octadecane, 87
- peripheral nerve degeneration, 369
- peripheral nerve metabolism in alloxan diabetes, 287
- response to diet containing used frying fats, 254
- toxicity studies of aromatic methyl esters, 359
- toxicity studies of methyl linoleate thermal products, 353
- Rat brain microsomes, lipid peroxidation, 146
- Rat kidney, lipids in, 279
- Rat liver, metabolism of α -alkoxy glyceryl monoethers, 328
- Rat liver acyltransferase-EC 2.3.1, 224
- Rat liver lipids, 171
- effect of dietary methyl linoleate isomers, 224
- Rat liver phosphatidyl choline, 224
- Rat liver triglycerides, 224, 444
- Rat plasma lipoproteins, comp and synthesis, 309
- Rat tissue, lipid peroxidation, 146
- Reagent impurities, detection by GLC, 107
- Red blood cells. See erythrocytes
- Red cells. See erythrocytes
- Respiration, carbon dioxide in expired air as measure of fatty acid oxidation in rats, 415
- Ricinoleic acid, in glycerides, 188
- See 12-hydroxy-*cis*-9-octadecenoic acid

S

- Safflower, fatty acid profile, 132
- Safflower esters, CDCD, 163
- Sciatic nerve in diabetes. See nerve, peripheral
- Sebaceous gland metabolism, 87
- Seed lipids. See lipids, seed
- Seed oils. See oils, seed
- Sephadex, water soluble contaminants removal from lipids, 159
- Also see gel filtration
- Sex, of rats and effect of diet on cholesterol synthesis, 409
- of rats and effect on fatty acid oxidation, 415
- Serum, human, phospholipids, 89
- rat blood cholesterol levels and diet, 322
- rat cholesterol levels and diet, 409
- δ -lactones in milk and depot fats, 387
- Sheep perinephric fat, isomeric methoxystearic acids, 316
- β -Sitosterol, GLC, 158
- LIPIDS, VOL. 1, No. 6

- Snake venom, *Ancistrodon contortrix*, 258
- Bothrops atrox*, 258
- Crotalus adamanteus*, 258
- Crotalus atrox*, 258
- Naja naja*, 258
- Ophiophagus hannah*, 258
- Ophiophagus hannah*, phospholipase A-EC 3.1.1.4, 224, 234
- phospholipase A-EC 3.1.1.4-activity comparisons, 258
- Vipera russeli*, 258
- Soybean, fatty acid profile, 132
- Soybean oil, dietary effect on cholesterol levels in rats, 322
- Also see oilseeds, soybean
- Spectra, infrared, *p*-aminophenyl *N*-acetyl galactosaminide, 33
- p*-aminophenyl *N*-acetylglucosaminide, 33
- p*-aminophenyl galactoside, 32
- p*-aminophenyl glucoside, 32
- p*-aminophenyl glycosides, 31
- p*-aminophenyl lactoside, 32
- p*-aminophenyl mannoside, 32
- N*-*p*-aminobenzyl dihydrospingosine, 35
- 1,3 *O*-di-*p*-aminobenzoyl dihydroceramide, 34
- ceramide, arachidyl-*N*-sphingosine, 34
- as criteria of phospholipid purity, 89
- 1,3 *O*-diacetyl (*N*-*p*-aminobenzoyl) dihydrospingosine, 36
- 1,3 *O*-diacetyl (*N*-*p*-aminobenzoyl) sphingosine, 36
- dihydrospingosine, *N*-*p*-aminobenzoyl, 35
- dihydrospingosine, tribenzoyl, 35
- elaiyl aldehyde, 186
- linolenyl aldehyde, 186
- linoleyl aldehyde, 186, 351
- linoleyl aldehyde dimethyl acetal, 351
- 1,3 *O*-di-*p*-nitrobenzoyl ceramide, 34
- N*-*p*-nitrobenzoyl sphingosine, 35
- p*-nitrophenyl *N*-acetyl galactosaminide, 33
- p*-nitrophenyl *N*-acetylglucosaminide, 33
- p*-nitrophenyl galactoside, 32
- p*-nitrophenyl glucoside, 32
- p*-nitrophenyl heptaacetyl lactoside, 32
- p*-nitrophenyl mannoside, 32
- p*-nitrophenyl lactoside, 32
- p*-nitrophenyl tetraacetyl galactosaminides, 33
- p*-nitrophenyl tetraacetyl galactoside, 32
- p*-nitrophenyl tetraacetyl glucosaminide, 33
- p*-nitrophenyl tetraacetyl glucoside, 32
- p*-nitrophenyl tetraacetyl glycosides, 32
- p*-nitrophenyl tetraacetyl mannoside, 32
- oleyl aldehyde, 186
- palmitaldehyde, 351
- palmitaldehyde dimethyl acetal, 351
- α -parinaric acid, methyl ester, 266
- 3-(2-(2-octyloxy) ethyloxy) ethyloxy propionic acid, 145
- 3-(2-(2-octyloxy) ethyloxy) ethyloxy propionic acid, methyl ester, 145
- 3-(2-(2-octyloxy) ethyloxy) ethyloxy propionitrile, 145
- sphingosine, *N*-*p*-nitrobenzoyl, 35
- erythro sphingosine, 35
- stearaldehyde, 186
- sulfate esters, 221
- trans*-3-hexadecenoic acid, 83
- tribenzoyl dihydrospingosine, 35
- Spectra, mass, acetin, di-1- or 2-monomyristin, 376
- arachidonic acid, tetracyclopropane derivative, 181
- cyclopropane fatty acids, 176
- decanoic-1- or 2-mono-, 374
- eicosanoic-1- or 2-mono-, 374
- 7-(2-pentylcyclohexyl) heptanoic acid, methyl ester, 363
- 7-(2'-pentylphenyl) heptanoic acid, methyl ester, 362
- hydrocarbon pyrolysis products, 247
- laurin, 1- or 2-mono-, 374
- linolein, 1- or 2-mono-, 374
- linolenin, 1- or 2-mono-, 374
- methoxyoctadecanoic acid isomers, 316
- monoglycerides and derivatives, 371
- monoglycerides as diacetyl and trimethylsilyl ether derivatives, 371
- monoglycerides (both isomers) from 10:0 to 20:1: 18:1, 18:2, 18:3, 371
- 1- and 2-monglyceride trimethylsilyl esters, 371
- myristin 1- or 2-mono-, 373
- myristin-1,3-diacetin, 376
- myristin-2,3-diacetin, 376
- myristin-2,3- or 1,3-trimethylsilyl ether, 378
- 8-(2-butyl cyclohexyl) octanoic acid, methyl ester, 363
- 8-(2-butyl phenyl) octanoic acid, methyl ester, 362
- oleic acid, cyclopropane derivative, 178
- olein, 1- or 2-mono-, 374
- palmitin, 1- or 2-mono-, 374
- stearin, 1- or 2-mono-, 374

- *trans, trans*-linoleic acid, dicyclopropane derivative, 179
 - *trans, trans*-9,11-octadecadienoic acid, dicyclopropane derivative, 180
 - Spectra, nuclear magnetic resonance, *cis*-4-tetradecenoic acid, 119**
 - 17-*oxo-cis*-20-hexacosenoic acid, methyl ester, 270
 - *trans*-3-enoic acids, 301
 - *trans*-3-hexadecenoic acid, 303
 - Spectra, X-ray, 1,4-butanedithiol, fatty acid diesters, 7**
 - decanoic acid, dithiol diester, 7
 - 1,2-ethanedithiol, fatty acid diesters, 7
 - hexadecanoic acid, dithiol diester, 7
 - octadecanoic acid, dithiol diester, 7
 - 1,5-pentanedithiol, fatty acid diesters, 7
 - 1,3-propanedithiol, fatty acid diesters, 7
 - tetradecanoic acid, dithiol diester, 7
 - Sphingolipids, complex in myelin, 296**
 - content of very long chain fatty acids, 449
 - rat liver, 171
 - Sphingomyelin, human brain, content of very long chain fatty acids, 449**
 - human erythrocyte fatty acid profile, 391
 - in human lens, 161
 - in human serum, 89
 - of insects, 209
 - TLC and column chromatography, 89
 - Sphingomyelin hydrolysis, by alkali, 31**
 - Sphingosine, infrared spectrum, 31**
 - *N*-*p*-nitrobenzoyl, infrared spectrum, 31
 - prep, 31
 - Sphingosine antigens, 31**
 - Spinal cord antibody, 31**
 - Staphylococcus aureus, growth inhibition by β -alkoxypropionic acids, 141**
 - Steapsin. See lipase, triglyceride**
 - Stearaldehyde, infrared spectrum, 183**
 - Stearic acid, GLC retention time, 10**
 - metabolism in brain, 47
 - metabolic products of α -alkoxy glyceryl monoethers, 328
 - polyhydroxy, diastereoisomers configurations, 399
 - rate of oxidation in rats, 415
 - Stearin-1- or 2-mono-, mass spectral data, 371**
 - Stearoyl-coenzyme A, in cerebroside synthesis, 237**
 - Sterculic acid, 10**
 - methyl mercaptan adduct, 10
 - Stereospecific structure dtmn of triglycerides, 444**
 - Sterols, GLC, 158**
 - sulfate ester synthesis, 221
 - Stigmasterol, GLC, 158**
 - Sulfate esters, infrared absorption bands, 221**
 - synthesis, 221
 - Sulfatides, fatty acid metabolism, 47**
 - isolation procedure, 47
 - Sulphydryl, dtmn by 5,5'-dithio-bis-(2-nitrobenzoic acid), DTN, 224**
 - Sulfonate esters. See alcohol, sulfuric acid ester**
 - Swine, δ -lactones in milk and depot fats, 387**
- T**
- Taurodeoxycholate and intestinal absorption, 128**
 - Taurodeoxycholic acid, use in gel filtration of emulsions and micelles, 430**
 - Temperature, effect on fatty acid profiles in hydra, 427**
 - environmental, effect on fatty acid profiles of fish, 113
 - Testis, fatty acid profile in bovine, 197**
 - Testosterone sulfate, synthesis, 221**
 - 15-*oxo-cis*-18-Tetracosenoic acid, structure dtmn and physical properties, 268**
 - Tetradecanoic acid, dithiol diesters x-ray spacing, 6**
 - cis*-4-Tetradecenoic acid, NMR spectrum, 118**
 - di-O-Tetradecyl L- α -glyceryl-(2-bromoethyl) phosphonate, physical properties, 291**
 - di-O-Tetradecyl L- α -glyceryl-(2-trimethyl ammonium ethyl) phosphonate, physical properties, 291**
 - 9,10,12,13-Tetrahydroxystearic acid, methyl ester, GLC resolution of diastereoisomers as trifluoroacetate derivatives, 399**
 - TLC, 399
 - erythro-9,10-erythro-10,12-erythro-12,13-Tetrahydroxystearic acid, melting point and preparative TLC, 399**
 - erythro-9,10-erythro-10,12-threo-12,13-Tetrahydroxystearic acid, melting point, 399**
 - erythro-9,10-threo-10,12-erythro-12,13-Tetrahydroxystearic acid, melting point, 399**
 - erythro-9,10-threo-10,12-threo-12,13-Tetrahydroxystearic acid, melting point, 399**
 - threo-9,10-erythro-10,12-erythro-12,13-Tetrahydroxystearic acid, melting point, 399**
 - threo-9,10-erythro-10,12-threo-12,13-Tetrahydroxystearic acid, melting point and preparative TLC, 399**
 - threo-9,10-threo-10,12-erythro-12,13-Tetrahydroxystearic acid, melting point, 399**
 - threo-9,10-threo-10,12-threo-12,13-Tetrahydroxystearic acid, melting point and preparative TLC, 399**
 - 2,6,10,14-Tetramethyl hexadecane, pyrolysis chromatography, 247**
 - 2,6,10,14-Tetramethyl pentadecane, pyrolysis chromatography, 247**
 - Thermal reactions of methyl linoleate, 353, 359, 368**
 - Thin-layer chromatography. See chromatography, thin-layer**
 - TLC. See chromatography, thin-layer**
 - α -Tocopherol, inhibition of lipid peroxidation, 282**
 - Toxicity, to rats of aromatic methyl esters, 359**
 - to rats of heated methyl linoleate, 353
 - Transbutylation, of triglycerides, 202**
 - Transesterification, of triglycerides, 202**
 - Transmethylation, of triglycerides, 202**
 - Triacetic acid, in insect wax, 297**
 - Triacylglycerol. See triglycerides, also see under specific name of the triglyceride, or as a specific fatty acid ester**
 - Triarachidin, GLC, 216**
 - Tribehenin, GLC, 216**
 - Tri-11-*c*-cosenoin, GLC, 216**
 - Trielaidin, GLC, 216**
 - Trierucin, GLC, 216**
 - Triestolide triglyceride, occurrence in ergot oil, 188**
 - Trifluoroacetic acid, prep of esters from hydroxy fatty acids, 399**
 - Triglycerides, alumina column chromatography, 451**
 - bovine testis, 197
 - in Capsicum seed and their fatty acid profile, 136
 - diet and lipoprotein synthesis, 309
 - epoxy acids in, 335
 - from ergot oil, 188
 - erucic acid oils, 216
 - estolide structure, 188
 - fatty acid positional isomers, 224
 - fish oils, 216
 - formation from batyl and chimyl alcohols in rats, 328
 - GLC analytical conditions, 216
 - GLC peak area-sample size, 216
 - in human hair, 274
 - in human eye lens, 86
 - hydrolysis by lipase of long chain saturated triglycerides, 287
 - isolation, 216
 - methyl linoleate diet to rats, effect of, 224
 - optically active α -acetolactarin, 286
 - positional isomers, 162
 - positional isomer dtmn, 224
 - positional isomers in rat liver triglycerides, 444
 - preparative GLC, 202
 - rat liver, 171
 - rat liver lipids, 224
 - from seed oil, 286
 - stereospecific analysis of three acids, 294, 295
 - stereospecific structure dtmn by a micromethod, 444
 - testis fatty acid changes with age, 197
 - TLC, 197
 - TLC preparative, 216
 - transesterification, 202
 - Triglyceride absorption in vitro, 128**
 - Triglyceride composition, of animal and vegetable fats, 27**
 - dtmn by mathematical distribution methods, 27
 - Triglyceride lipase-EC 3.1.1.3, use in triglyceride stereospecific structure dtmn, 444**
 - Trihydroxyoctadecanol isomers, 41**
 - arsenite complexes, 41
 - melting points, specific rotation, 41
 - TLC separation, 41

9,10,12-Trihydroxystearic acid, methyl ester, GLC resolution of diastereoisomers as trifluoroacetate derivatives, 399
 TLC, 399

erythro-9,10-erythro-10,12-Trihydroxystearic acid, melting point and preparative TLC, 399

erythro-9,10-threo-10,12-Trihydroxystearic acid, melting point and preparative TLC, 399

threo-9,10-erythro-10,12-Trihydroxystearic acid, melting point and preparative TLC, 399

threo-9,10-threo-10,12-Trihydroxystearic acid, melting point and preparative TLC, 399

Trilaurin, GLC, 216
 — preparative GLC, 202

Trimyristin, preparative GLC, 202
 — distribution between micelles and emulsions measured by gel filtration, 430
 — hamster intestinal slice absorption, 128
 — preparative GLC, 202

Tripalmitin, GLC, 216
 — preparative GLC, 202

Triricinolein, column chromatography, 288

Tristearin, GLC, 216

Triterpene, sulfate esters synthesis, 221

Trivernolin, in seed oils, 335

Tumors, Ehrlich ascites (mouse), lipids in, 381
 — lymphosarcoma (human), lipids in, 381
 — R-3259 (rat), lipids in, 381
 — from total body irradiation of rats, lipids in, 381
 — an unidentified lipid in, 381
 — Walker-256 (rat), lipids in, 381

U

Ubiquinol, inhibition of lipid peroxidation, 282

Ubiquinone, inhibition of lipid peroxidation, 282

11-(2'-methyl phenyl) Undecanoic acid, methyl ester, synthesis, 359

Unsaturated fatty acid. See fatty acid, unsaturated

Unsaturation determination, in oils, 152

V

Vaccenic acid, methyl ester, 1
 ozonolysis of, 1

Vernolic acid. See *cis*-12,13-epoxy-*cis*-9-octadecenoic acid

W

Wax, of insects, 297

X

X-ray diffraction, dithiol diesters of long chain fatty acids, 6

Y

Yeast. See microorganisms

